




Seafarer 36



Seafarer 36

LENGTH (LOA)	BEAM (BOA)	LENGTH OF HULL	BEAM OF HULL	MAX POWER
10.50m	3.25m	8.9m	1.78m	800hp



OVERVIEW

- Hull designed for Optimal Performance by Lorne Campbell

Full Teak Decking, Hand Laid

Ribco Handmade Tubes in Single Colour

Electric Windless with Remote Control
- Inox Ultra Anchor with 50m Chain

Through-Bow Anchor Roller with Stainless Steel Guard

Bow-Eye

Two Bow Cleats, Two Stern Cleats



HULL DESCRIPTION

Ultra Deep Vee - 58 Degrees at Bow, 24 Degrees at Stern

(GRP) Glass Reinforced Polyester

Single Skin, Hand Laid

Four GRP Stringers

Seven Bulkheads

Transom - Sandwich GRP & Marine Ply

CONSTRUCTION

Solid Fibreglass Composite Hull

Premium Isophthalic Resin

Premium Isophthalic Gel Coat

Premium Orca 1670 dtexTube Fabric

Four Stringer/Seven Bulkhead Hull Construction System

Non-Skid Fibreglass Cockpit Liner with Large Scuppers

Through Bolted 316 Stainless Steel Hardware

Two Fuel Tanks in Enclosed Chambers





6



SAFETY

Basic floatation

Unsinkable design principle

Ability to travel at full speed with all air chambers deflated

Self draining deck

Watertight cockpit

TUBES

Seven Chambers/250mbar

Hypalon/Neoprene - Polyester 1670 dtex

FUEL SYSTEM

Two Polyethylene Fuel Tanks

380 litres each (total 760 litres)

STEERING SYSTEM

Electric/Hydraulic Steering System

Isota Marine Wheel

7



ELECTRICAL SYSTEM/ELECTRONICS

Yacht Grade Electrical System/12 VDC

Four Maintenance Free Batteries

Fourteen Carling Sealed Switches

Navigation, Cabin, Cockpit & Underwater

Bow Thruster

Bennett Trim Tabs and Controls

INCLUSIONS

Huge Helm Station with Large Flush Mounted Electronics Mounting Area

Carbon Fibre Dash Panel

Weather Resistant Carling Switch Panel

12V Outlets (2)

Electric Anchor Windlass/Locker in Forward Bulkhead

Dedicated Port and Starboard Engine Starting Batteries (two for outboards)

Dedicated House Batteries (two)

Emergency Battery Crossover Capability

Total Fuel Capacity 760 litres

Total Water Capacity 200 litres

Automatic Bilge Pumps

Charger for Batteries/Inverter 2000W



Concealed Nespresso Machine

Hot Water (12V/15lt boiler)

Huge Centre Console with 4 Integrated Hatches

WC and Shower Inside Console, Marine Head with Holding Tank

Wet Bar with Sink and Fridge

Two Bolster Seats (driver/co driver) with Hydraulic Shock Absorbers

Three Person Forward Facing Lounge

Five Person Rear (forward facing) Lounge

Huge Rear Sun Bed

Premium Upholstery Throughout

Complete Set of Cushions

Sleeping for Two in Rear Compartments

Full Set of Covers

POWER

2 x 400hp Mercury Verado Outboards (Max)

The Ribco logo features a stylized white wing or arrow graphic pointing to the right, followed by the word "Ribco" in a white, elegant script font.

© 2018 Ribco

#ribcorevolution

Ribco • Suite O, 2 Maritime Court

Sydney Superyacht Marina, Rozelle, NSW, 2039

Tel: (+61) 439 766 880 • Email: sales@ribcomarine.com.au

www.ribcomarine.com.au



© 2018 Ribco