




Venom 44



2

Venom 44

LENGTH (LOA)	BEAM (BOA)	LENGTH OF HULL	BEAM OF HULL	MAX POWER
13.15m	3.52m	12.10m	2.50m	1200hp



3



OVERVIEW

- Hull designed for Optimal Performance by Lorne Campbell
 - Full Teak Decking, Hand Laid
 - Ribco Handmade Tubes in Single Colour
 - Electric Windless with Remote Control
- Inox Ultra Anchor with 50m Chain
 - Through-Bow Anchor Roller with Stainless Steel Guard
 - Bow-Eye
 - Two Bow Cleats, Two Stern Cleats



HULL DESCRIPTION

Ultra Deep Vee - 62 Degrees at Bow, 24 Degrees at Stern

(GRP) Glass Reinforced Polyester

Single Skin, Hand Laid

Four GRP Stringers

Seven Bulkheads

Transom - Sandwich GRP & Marine Ply

CONSTRUCTION

Solid Fibreglass Composite Hull

Premium Isophthalic Resin

Premium Isophthalic Gel Coat

Premium Orca 1670 dtexTube Fabric

Four Stringer/Seven Bulkhead Hull Construction System

Non-Skid Fibreglass Cockpit Liner with Large Scuppers

Through Bolted 316 Stainless Steel Hardware

Three Fuel Tanks in Enclosed Chambers





6



SAFETY

Basic floatation

Unsinkable design principle

Ability to travel at full speed with all air chambers deflated

Self draining deck

Watertight cockpit

TUBES

Eight Chambers/250mbar

Hypalon/Neoprene - Polyester 1670 dtex

FUEL SYSTEM

Three Polyethylene Fuel Tanks

380 litres each (total 1140 litres)

STEERING SYSTEM

Electric/Hydraulic Steering System

Isota Marine Wheel

7

ELECTRICAL SYSTEM/ELECTRONICS

- Yacht Grade Electrical System/12 VDC
- Six Maintenance Free Batteries
- Fourteen Carling Sealed Switches
- Navigation, Cabin, Cockpit & Underwater Lights
- Bow Thruster
- Bennett Trim Tabs and Controls

INCLUSIONS

- Huge Helm Station with Large Flush Mounted Electronics Mounting Area
- Carbon Fibre Dash Panel
- Weather Resistant Carling Switch Panel
- 12V Outlets (2)
- Electric Anchor Windlass/Locker in Forward Bulkhead
- Dedicated Port and Starboard Engine Starting Batteries (three for outboards)
- Dedicated House Batteries (two)
- Emergency Battery Crossover Capability
- Total Fuel Capacity 1140 litres
- Total Water Capacity 200 litres
- Automatic Bilge Pumps
- Charger for Batteries/Inverter 2000W



- Concealed Nespresso Machine
- Hot Water (12V/15lt boiler)
- Huge Centre Console with 4 Integrated Hatches
- WC and Shower Inside Console, Marine Head with Holding Tank
- Wet Bar with Sink and Fridge
- Two Bolster Seats (driver/co driver) with Hydraulic Shock Absorbers
- Three Person Forward Facing Lounge
- Two Person (rear facing) Lounge
- Five Person Rear (forward facing) Lounge
- Huge Rear Sun Bed
- Premium Upholstery Throughout
- Complete Set of Cushions
- Sleeping for Four in Front and Rear Compartments
- Full Set of Covers

POWER

- 3 x 400hp Mercury Verado Outboards (Max)



Ribco

© 2018 Ribco

#ribcorevolution

Ribco • Suite O, 2 Maritime Court

Sydney Superyacht Marina, Rozelle, NSW, 2039

Tel: (+61) 439 766 880 • Email: sales@ribcomarine.com.au

www.ribcomarine.com.au



© 2018 Ribco